

lichtmacher

Wir bringen Licht

Badleuchten



Siena



SIENA



Art. Nr. 53175LED-18-15

230V • LED • 18W • 1600lm • 3000K
L 1.202 mm • H 36 mm • A 78 mm

Diffusor Weiss / *diffusor: white*
Montur: Silber (15) / *fitting: silver (15)*

Art. Nr. 53175LED-14-15



230V • LED • 14W • 1200lm • 3000K
L 902 mm • H 36 mm • A 78 mm

Diffusor Weiss / *diffusor: white*
Montur: Silber (15) / *fitting: silver (15)*

Art. Nr. 53175LED-10-15



230V • LED • 10W • 900lm • 3000K
L 602 mm • H 36 mm • A 78 mm

Diffusor Weiss / *diffusor: white*
Montur: Silber (15) / *fitting: silver (15)*

TEA



1 Soff 3-460/2
Chrom

L 25,5 cm
B 10 cm, T 7 cm
exkl. 2xG9/40 W
IP44

2 Soff 3-460/2
Satin

L 25,5 cm
B 10 cm, T 7 cm
exkl. 2xG9/40 W
IP44

3 Soff 3-460/3
Chrom

L 41 cm
B 10 cm, T 7 cm
exkl. 3xG9/40 W
IP44

4 Soff 3-460/3
Satin

L 41 cm
B 10 cm, T 7 cm
exkl. 3xG9/40 W
IP44



NILO



● **63318** chrome/cromo



LED SMD 12W 3000K 950 lm CRI>80

Driver ✓

Body Aluminium/Aluminio

Diff PMMA

IP44  100- 50/
240V 60HZ 



NILO



● **63319** chrome/cromo


LED SMD 18W 3000K 1400lm CRI>80

Driver ✓

Body Aluminium/Aluminio

Diff PMMA




IP44  100- 50/
240V 60HZ 



Faro – GALA




GALA

- 63504  Shiny Chrome/Cromo Brillo
- 63505  Satin Gold/Oro Satinado
- 63506 NEW  Matt Black/Negro Mate

G9 MAX 6W LED  [17495]

Body Metal
Diff Opal Glass/Cristal Opal


IP44  100- 50/
240V 60HZ 



Faro – BIANCA



NEW BIANCA


— Àlex & Manel Lluscà 

 63510 chrome/cromo

G9 MAX 6W LED  [17443]

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP44  100- 50/
240V 60HZ 




SLV – MARYLIN



Produktangaben

220-240V ~50/60Hz | 600mA

Material: Aluminium / Polycarbonat (PC)



IP 44

Variante

Art. Nr.

800lm | 10W | 3000K | CRI>80

L: 40 cm | 0,85 kg

■ chrom / weiß

1002190



35000

1200lm | 15W | 3000K | CRI>80

L: 60 cm | 1,12 kg

■ chrom / weiß

1002191




120°

1700lm | 21W | 3000K | CRI>80

L: 90 cm | 1,64 kg

■ chrom / weiß

1002192



SLV – TRUKKO



Produktangaben



IP 44

IK03

L70B50

220-240V ~50/60Hz | 500mA

Systemleistung: 9,2W

Material: Aluminium / Kunststoff



Variante

Art. Nr.

750lm | 3000K | CRI90

■ chrom / milchig

149762



IP 44

IK03

L70B50

220-240V ~50/60Hz | 500mA

Systemleistung: 12W

Material: Aluminium / Kunststoff



Variante

Art. Nr.

1040lm | 3000K | CRI90

■ chrom / milchig

149772



Faro – WL Volga 310

63507



Shiny Chrome/Cromo Brillo

63512



Matt Black/Negro Mate

Material

Body Aluminium/Aluminio

Diff Opal PMMA/PMMA Opal

Light Source

SMD LED 5W 3000K 350lm

CRI

>80

Class

II



Voltage (V/Hz)

100V-240V/50-60Hz


IP

44

Driver



F A R O
B A R C E L O N A




1 Soff 3-477
EE3 Chrom
 B 35,5 cm, H 5 cm
 T 8 cm
 LED 7 W/440 lm/3000 K
 Hochvolt/AC
 IP44

2 Soff 3-478
EE3 Chrom
 B 55 cm, H 5 cm
 T 8 cm
 LED 13 W/840 lm/3000 K
 Hochvolt/AC
 IP44



3 Soff 3-479
EE3 Chrom
 B 75 cm, H 5 cm
 T 8 cm
 LED 17 W/1100 lm/3000 K
 Hochvolt/AC
 IP44





1003508 241


GLENOS® 60
WL



SLV



1003507 241



220-240V ~50/60Hz | 500mA
Systemleistung: 12W
Material: Aluminium / Polycarbonat (PC)

| | | |
|---------------------------------|----------------------|----------|
| | | A → G |
| 1003506, 1003507, 1003508 | 1170lm 3000/4000K | A G D |

| Variante | Art. Nr. |
|-----------------------------|----------|
| 1170lm 3000/4000K CRI80 | |
| ■ schwarz | 1003506 |
| 1170lm 3000/4000K CRI80 | |
| □ weiß | 1003507 |
| 1170lm 3000/4000K CRI80 | |
| ■ grau | 1003508 |


Faro – BRUME



BRUME



WALL

BRUME — Àlex & Manel Llusca 


● 40077 old metal/metal envejecido


LED SMD 3W 2700K 200lm CRI>80


Driver ✓

Body Metal

Diff Glass/Cristal

IP44  100- 50/
240V 60HZ





BRUME — Àlex & Manel Llusca 


● 40078 old metal/metal envejecido

LED SMD 3W 2700K 200lm CRI>80 Driver ✓

Body Metal

Diff Glass/Cristal

IP44  100- 50/
240V 60HZ  1.5 MT



⊙ 100/3.93"



CEILING





1 Soff 3-471
EE3 Chrom
 B 32 cm, H 5,2 cm
 T 10 cm
 LED 5 W SMD (60pcs)
 425 lm/3000 K
 IP44

2 Soff 3-472
EE3 Chrom
 B 46 cm, H 6 cm
 T 9,5 cm
 LED 10 W SMD (108pcs)
 900 lm/3000 K
 IP44

3 Soff 3-473
EE3 Chrom
 L 75 cm, H 5 cm
 T 10 cm
 LED 15 W
 1350 lm/3000 K
 IP44

4 WA 2-1282
EE3 Chrom
 B 5 cm, H 32 cm
 T 6 cm
 LED 5 W SMD (60pcs)
 425 lm/3000 K
 IP44



1

**Soff 3-481
Schwarz**

B 90 cm, H 4,2 cm, T 10 cm
LED 24 W/2200 lm/3000 K
Reflektor beweglich/
reflector adjustable


IP44
E

2

**Soff 3-480
Schwarz**

B 60 cm, H 4,2 cm, T 10 cm
LED 18 W/1700 lm/3000 K
Reflektor beweglich/
reflector adjustable

IP44
F





1

**Soff 3-480
Weiß**
B 60 cm, H 4,2 cm, T 10 cm
LED 18 W/1700 lm/3000 K
Reflektor beweglich/
reflector adjustable
IP44

F

2

**Soff 3-481
Weiß**
B 90 cm, H 4,2 cm, T 10 cm
LED 24 W/2200 lm/3000 K
Reflektor beweglich/
reflector adjustable
IP44

E

3

**Soff 3-483
Weiß**
B 57 cm, H 4,2 cm
T 8 cm
LED 21 W/2000 lm/3000 K
IP44

E

4

**Soff 3-482
Chrom**
B 69,5 cm, H 3,9 cm
T 8,4 cm
LED 17 W/1500 lm/3000 K
IP20

F

MARYLIN

ORION



1

WA 2-1473

Weiß

L 65 cm, B 7,8 cm, T 7,2 cm

LED 12 W/1450 lm/3000 K

IP54

E

2

WA 2-1473

Schwarz


L 65 cm, B 7,8 cm, T 7,2 cm

LED 12 W/1450 lm/3000 K

IP54

E





1
Soff 3-584
Schwarz
 L 61 cm, H 7,6 cm, T 10 cm
 LED 12 W/940 lm/3000 K
 IP54
G

2
Soff 3-584
Weiß
 L 61 cm, H 7,6 cm, T 10 cm
 LED 12 W/940 lm/3000 K
 IP54
G

3
Soff 3-585
Weiß
 L 101 cm, H 7,6 cm, T 10 cm
 LED 24 W/1820 lm/3000 K
 IP54
F

4
Soff 3-585
Schwarz
 L 101 cm, H 7,6 cm, T 10 cm
 LED 24 W/1820 lm/3000 K
 IP54
F

LEDINA



1

3

2

1 DL 7-636/4
EE3 Chrom
62 x 62 cm
H 5 cm
LED 27 W/1740 lm/3000 K
Hochvolt/AC
IP44

2 WA 2-1348
EE3 Chrom
H 36,5 cm, B 2,5 cm
T 7,5 cm
LED 7 W/440 lm/3000 K
Hochvolt/AC
IP44

3 WA 2-1349
EE3 Chrom
H 60,5 cm, B 2,5 cm
T 7,5 cm
LED 13 W/840 lm/3000 K
Hochvolt/AC
IP44



lichtmacher

Wir bringen Licht

„ Dunkelheit existiert nicht, nur die Abwesenheit von Licht. “



Dies ist nur ein kleiner Ausschnitt aus unserem Gesamtsortiment.
Fragen Sie uns an.